






Designer: Celia Visser, Celia Visser Design





GTH WALL MOUNT RANGE HOOD

- A wall mounted range hood with a compact and contemporary design
- Perfect for light to moderate cooking
- The K Series blower delivers 250 CFM (360 equivalent CFM) and is available
- Equipped with the SensaSource® heat sensor
- Only available in stainless steel
- 50-watt halogen lights feature a dual switch for dimming to 25 watts
- Fixed length stainless steel rail is standard on this model

Shown with duct cover, which is sold separately, and is available in standard and

For additional specification information, visit our website at www.ventahood.com (search model GTH) or call 1-800-331-2492


ZTH WALL MOUNT RANGE HOOD

- A wall-mounted range hood with a glass front and depth of 24"
- Designed for use over most professional-style cooking equipment
- The Magic Lung® blower system provides 600 CFM (900 equivalent CFM) in 36", 42", and 48" widths and 900 CFM (1350 equivalent CFM) in a 54" width
- Equipped with the SensaSource® heat sensor
- Only available in stainless steel
- 50-watt halogen lights feature a dual switch for dimming to 25 watts
- Fixed length stainless steel rail is standard on this model

Shown with duct cover, which is sold separately, and is available in standard and custom heights


For additional specification information, visit our website at www.ventahood.com (search model **ZTH**) or call **1-800-331-2492**











XLH12 WALL MOUNT RANGE HOOD

- A wall-mounted range hood that creates a "one-of-a-kind" statement in the kitchen
- Hood lip is available with brass, copper, stainless steel, or mirror stainless steel lip treatment
- Finished round duct is sold separately and is available in standard and custom heights, with complementary round or square duct collars
- Alternatively, square duct cover is sold separately in standard and custom heights
- The Magic Lung® blower system provides 600 CFM (900 equivalent CFM) in 30" and 36" widths
- Equipped with the SensaSource® heat sensor
- Only available in stainless steel
- 50-watt halogen lights feature a dual switch for dimming to 25 watts

Shown with finished round duct, which is sold separately in standard and custom heights and round duct collars, also sold separately

For additional specification information, visit our website at **www.ventahood.com** (search model **XLH12**) or call **1-800-331-2492**




CWLH9 WALL MOUNT RANGE HOOD

- A wall-mounted range hood offering a multi-layered visual effect
- The Magic Lung® blower system provides 300 CFM (450 CFM equivalent) in 30", 36", 42", and 48" widths, 600 CFM (900 CFM equivalent) in 36", 42", and 48" widths, 900 CFM (1350 CFM equivalent) in 54" and 60" widths, and 1200 CFM (1800 CFM equivalent) in 60" and 66" widths. Custom widths are also available
- Equipped with the SensaSource® heat sensor
- Available in popular paint colors and stainless steel finishes.
- 50-watt halogen lights feature a dual switch for dimming to 25 watts
- Stainless steel galley rail is standard on this model

Shown with duct cover that is sold separately in standard and custom heights


For additional specification information, visit our website at www.ventahood.com (search model CWLH 9) or call 1-800-331-2492











CILH9 ISLAND RANGE HOOD

- An island range hood with a multi-layered visual effect
- The Magic Lung® blower system provides 600 CFM (900 CFM equivalent) in 42", 48", and 54" widths and 1200 CFM (1800 CFM equivalent) in 60" and 66" widths. Custom widths are also available
- Equipped with the SensaSource® heat sensor
- Available in popular paint colors and stainless steel finishes
- 50-watt halogen lights feature a dual switch for dimming to 25 watts
- Stainless steel galley rail is standard on this model

Shown with duct cover that is sold separately in standard and custom heights

For additional specification information, visit our website at **www.ventahood.com** (search model **CILH9**) or call **1-800-331-2492**


IZTH ISLAND RANGE HOOD


- An island range hood with a glass front and depth of 30" that is designed for use over most professional-style cooking equipment
- The Magic Lung® blower system provides 600 CFM (900 equivalent CFM) in 42" and 48" widths and 1200 CFM (1800 equivalent CFM) in 54", 60", and 66" widths
- Equipped with the SensaSource® heat sensor
- Available only in stainless steel
- 50-watt halogen lights feature a dual switch for dimming to 25 watts
- Fixed length stainless steel rail is standard on this model

Shown with duct cover that is sold separately in standard and custom heights

For additional specification information, visit our website at **www.ventahood.com** (search model **IZTH**) or call **1-800-331-2492**







For over 70 years, Vent-A-Hood has utilized the unique Magic Lung® blower technology in its residential range hoods. The blower is widely regarded as being the **most powerful, quietest, most efficient,** and **easiest-to-clean** on the market today.

Did you know that Vent-A-Hood is also well known for its commitment to balancing **form** and **function**?

The new Contemporary Series clearly demonstrates this commitment. The models contained within this catalog combine the performance of the unique Magic Lung® blower technology with distinctive hood styles that are designed to complement today's contemporary kitchen.

For more information on Vent-A-Hood® products visit **www.ventahood.com** or call **800-331-2492**

